

TIM
SCHUMANN
COMPUTATIONAL
DESIGN
PORT
FOLIO
TWO THOUSAND
TWENTY
THREE




ENCODING BUILDING PRODUCTS



Type: Msc Thesis Project at TU Delft
Date: 11.2021 - 01.2023
Location: Delft, Netherlands
Supervisors: Dr. P. Nourian,
Prof. Dr.-Ing. T. Klein, H. Hoogenboom, Shervin Azadi


One million homes will be needed in the Netherlands by 2030. Prefabrication in the construction industry can contribute to construct affordable houses, but that results often in standardized and not customized designs. These repetitive designs can be overcome through the introduction of mass-customization in architecture. Computational Architectural Design offers the possibility to tackle mass-customization through developing tools to let the user easily customize a design while providing guidelines and feedback towards a successful building design. This can be done by discretising a building into building blocks that can be controlled through a computational workflow. This project elaborates on the potential of developing a design tool that allows the custo-

mization of houses through discrete building information modelling. Since the housing design process is a complex and multi-layered problem, the process is broken down into the sub-problems of topological design, building product development, configuration, and data export. For these steps, algorithms from the gaming industry are tested to improve the participation of the end user through a simplification of the design process. Through design grammars, a relational data structure is created that is compatible to the BIM environment of the industry.

The evolved methods are applied to the test case of a rowhouse design in Delft to predict the possible impact of the design tool. The results of this are set in the context of the AEC industry.











1 Placing first valid option



2 Selection of Tile




3 Selection of Tile Option



2 Selection of Tile






2 Selection of Tile




4 End - Final Commit

INTERACTIVE TILE PLACEMENT




STENCIL APPLICATION TO DETECT FITTING FACES


APPLYING DIFFERENT TILESETS ON ONE TOPOLOGICAL DESIGN




TOPOLOGICAL DESIGN BUILDING



TILESET INTERIOR INFILL



APPLYING TILES FACADE



APPLYING TILES INTERIOR INFILL



TETRIS LIVING


Type: Design Studio at University of Melbourne
Date: 02.2022 - 06.2022
Location: Melbourne, Australia
Team: Taichen Li
Supervisors: Darcy Zelenko - Danny Ngo

Tetris Living tackles the inefficiency in the current building industry with a proposal for architecture. Buildings should respond to the changed needs of the inhabitants, and allow the individualization and reconfiguration of their living spaces. This can be done with the discretization of architecture. Specifically, this means that buildings are assembled out of a set of few components, allowing a huge range of possible configurations. The first step is the development of a part, suitable for the built environment. The part is then aggregated to shape a building following a certain logic. The aggregation and the concept of discrete architecture as a participatory platform


is tested in an architectural project, located in the Fishermen's Bend, a new urban development area in Melbourne.

As a discrete part, a timber beam with triangular section was developed. These parts can be assembled to frames. A row of frames can be assembled to rooms, and rooms can be stacked upon each other thanks to the triangular section of the parts. Through an interactive platform, inhabitants can choose their preferred room configuration. Following that, the apartments are stacked with the goal of maximum space efficiency.







CREATING A DISCRETE BUILDING PART



SPACE OPTIMIZATION





MATERIALIZING THE PART




PART DETAILING




PHYSICAL MODEL MAKING




AGGREGATION + AUTOMATED DETAILING




UI MOCKUP CONFIGURATOR




SITE PLAN FINAL BUILDING



PERSPECTIVE APARTMENT EXAMPLE



ISOMETRIC DRAWING FINAL BUILDING




BUILDING SECTION



EARTHY: SHIFA ´S MOSAICS

Type: Design Studio at TU Delft University
Date: 09.2021 - 11.2021



Location: Zataari Refugee Camp, Jordan
Team: Alexander Coelho, Juan Cruz, Georgina Giassia, Thomas Lindemann
Supervisor: Dr. Pirouz Nourian, Shervin Azadi




The concept of the design studio „Earthy“ is the development of semi-temporary accommodations and buildings for the refugee camp „Zataari“ in Jordan. Buildings are to be created from local materials such as compressed earth blocks. The construction process needs to be highly simplified so that camp inhabitants can participate in the construction themselves.

“Shifa ´s Mosaics” is translated with “Mosaics of Healing” and tackles the typology of a health-and-wellness centre for the camp. In the first step, the ideal location for the centre was defined by computing the camp region with the most


need for these services. Then, a room program was created that reflects the requirements and wishes of the camp inhabitants. Incorporating the historic typology of the courtyard house, a generative design methodology was developed to produce valid spatial configurations, centred around courtyards. One iteration was chosen to detail further. With rib vaults and muqarnas, suitable roof constructions are generated for each space. Finally, the construction is validated with a structural analysis and assembly guidelines are produced to support the camp inhabitants with the construction.




COMPUTATION WALL ELEMENTS




COMPUTED ITERATIONS






CEILING PLAN



FLOOR PLAN



single buttress - stress analysis

v-shaped buttress - stress analysis

single buttress - deformation analysis

v-shaped buttress - deformation analysis

STRUCTURAL ANALYSIS



IMPRESSION



HEXAFORM

Type: Bachelor Thesis at RWTH Aachen University
Date: 04.2019 - 07.2019
Supervisor: Univ.-Prof. Dr. techn. Sigrid Brell-Cokcan

Hexaform shifts the production process for free form buildings on a whole new level, based on a modular lightweight construction. Hexaform is a building system working with the automation of sheet metal folding. The basis is formed by prefabricated hexagon pyramids, which are riveted together and stiffed with a framework. The results in a spatial folding that is based on the principles of origami. With the precise coordination of the individual folding processes, a spatial free-form surface of pyramids is created. The framework is also a variable structure:

with the help of threaded rods, the length of the rod can be shortened or lengthened and can thus react to the changed distances of the spatially curved pyramid structure. The folding and pre-assembly process is carried out in a fully automated mobile factory. Since all components are preserved in their shape and length, Hexaform can be completely dismantled and is therefore suitable for both temporary and stationary free-form constructions.







construction references




folding references



UNION TANK CAR DOME
(Wood River)



UNION TANK CAR DOME
(Batton Rouge)



DESIGN-AND-BUILD PROTOTYPE
(RWTH Aachen)

single-ply framework as
stabilising element

threaded rods for
variable distance
adjustment

edging for
connection
of the pyramids

renunciation of welding
work



stat. height:
 $1/6$ of base radius
(see Della Puppa 2013)

node optimized for
automated assembly





folding principle enables
modularity
(all pyramids are identical)

50 cm




Origami Folding
Miura




Origami Folding
Tereaeader



Point Folding
Pyramid Squared Base





Point Folding
Pyramid Hexagonal Base







MODEL OF AN ASSEMBLY UNIT IN 1: 5




PARAMETRIC MODEL



sail elements






solar modules in direction of solar radiation



sail structure


FEATURED VARIANTS




- ① steel ball with internal thread M16
 $r = 17,5 \text{ mm}$
- ② steel tube d: 30 mm, thickness: 3 mm
(spacer closed)
- ③ threaded rod M16
- ④ nut M16
- ⑤ aluminium tube d: 30 mm, thickness: 5 mm

- ⑥ steel plate with holes d = 5 mm
- ⑦ threaded rod M10
- ⑧ nut M10
- ⑨ magnet (fixing aid)
- ⑩ hose d: 15 mm (spacer open)
- ⑪ pyramid d: 1 mm


DETAIL: NODE IN OPEND AND CLODED STATE



SYSTEM PROCESS AND MOBILE FACTORY LAYOUT



floor plan 1-1



section 2-2





MADE BY ROBOTS: WILDLIFE HABITAT


Type: Elective at University of Melbourne
Date: 02.2022 - 06.2022
Location: Melbourne, Australia
Team: James Urlini, Pearl Thompson
Supervisor: Prof. Rochus Hinkel


The course „Made by Robots“ was all about using robotic clay printing to create habitats for urban wildlife. A specific plot on the outskirts of Melbourne was chosen to locate the project. In an initial analysis, we identified endangered species in this specific urban ecological system, which are mostly birds and frogs. We choose to build a feeding station for them- meaning to create the optimum conditions for fungi and mosses to grow. Once funghi and mosses are populated, smaller animals like slugs, spiders and ants will follow. These animals then are serving as food for the endangered frog and bird populations. To create the design, we did several experiments on how to grow mosses and funghi in combination with clay printing. We identified the perfect conditions regarding geometry, humidity and

sunlight. Based on that, we developed modular clay elements, each serving a specific function for growing fungi, and mosses, and transporting moisture and light.

For that, four different kinds of prints are produced: Bottom Pieces, Top Pieces, Regular Pieces and Connectors. While Connectors and Regular Pieces can be connected with two other prints, Bottom- and Top Pieces can only connect to one other element.

The resulting prints are modular pieces, that can be freely assembled into towers, with internal properties to match the local requirements. Three of these towers have been assembled on the chosen site and are currently populated by fungi and mosses. The project will be exhibited at Melbourne Design Week 2023.





GROWTH EXPERIMENT OF MYCELIUM IN PETRIDISHES



GROWTH EXPERIMENT OF MOSSES




MYCELIUM SUBSTRATE APPLIED ON 3D CLAY PRINTS



3D PRINTS WITH SUBSTRATE AFTER 5 DAYS



INITIAL MODEL







PRINTING PATH (SLICED MODEL)



ROBOTIC CLAY PRINTING



FIRED PRINT



FILTERING LAYER
filters substrates and stores water



DISTRIBUTION LAYER
distributes water and substrate








FUNGI LAYER
creates narrow, dark and humid spaces, where fungi can grow




MOSS LAYER
creates spaces with large surfaces and shadow to host mosses




INTERSPECIES LAYER
opens the structure to other species and connects habitat with the environment



MODULAR DESIGNS AND USECASES



COLUMN EXPLOSION



PRINTING AND ASSEMBLY



FINAL DESIGN ON SITE



THE JANSEN TREE

Type: Internal Student Competition TU Delft

Date: 02.2021- 04.2021


Team: Cas Verhoeven, Tong Wu, Trishita Chatterjee

Supervisor: Lia Tramontini, Arie Bergsma

The Facade Design Competition was embedded within the Master's course „Facade Design“. The task was the creation of a free-form pavilion using a specific glass facade system by Jansen in combination with 3D-printed metal facade nodes. The number of nodes, as same as the change of angle incorporated in the nodes, was strictly limited. Our proposal was a public transport station with a tree-like structure in the middle, transitioning into a windshield. The 3D-printed nodes should be created with the DMLS technique. This method allows high printing accuracy

and allows us to integrate an optical sensor and a light into the node. Through this addition, the pavilion can interact with waiting people by tracking their movements or showing relevant information, such as a warning light indicating a bus or ferry approaching. As an initial location, a prominent position in the harbour of Rotterdam was chosen. Our proposal was awarded the first prize in the competition by a Jury consisting of delegates from Jansen, Knippers Helbig and gmp architects.








DESIGN CONCEPT




INITIAL SHAPE




TRANSLATING DESIGNS TO VALID MESH SURFACES




PLAN VIEW




ELEVATION




INTERACTIVE LIGHTING THEMES



VISUALIZATION FACADE NODE



FACADE NODE DETAIL



LED capsule

Cover section

Clamping section

Outer gasket

Glass 4.4mm.

Inner gasket

Node

LED capsule

EXPLOSION DETAIL OF THE FACADE NODE



EUROPE READR PAVILION


Type: Design Competition
Date: 04.2021 - 08.2021
Location: Netherlands

Team: Christopher Bierach, Thomas Lindemann, Dimitrios Ntoupas
Client: EUNIC Netherlands

The European Readr is an initiative of the European Union to harvest interest in culture across Europe. Each country was challenged to contribute a project to the theme of 2021: „Open a book for a better future“. EUNIC Netherlands created a student competition, which we could win with our proposal. Our concept reacts to the idea of reading by creating three over-dimensional books, each serving a specific task. The first book, „Inspire“, offers visitors to download books that are offered for free by the partner initiatives of all countries of the EU. The second book, „Dive In“, offers a space to sit down and read. Finally, the third book, „Inspire“, challenges the visitors to leave book recommendations on colourful bookmarks in an imaginary landscape of the Netherlands.

Once the competition was won, we developed a realization concept to build the pavilion within the material budget of 10.000 EUR. Thanks to being able to use the facilities of the Faculty of Architecture at TU Delft, we constructed the books from timber profiles and plywood sheets. The rounded shape of the podium was achieved through CNC milling, and the book pages and envelopes were produced by a specialized printing company. The pavilion was constructed for easy disassembly, so it could be exhibited in multiple locations. After construction, the pavilion was exhibited at OBA Amsterdam, Biblionet Veendam, Emmen and Delft.





Dimension Book structur... (0;0)
 0 1970
 1 1400

Book 3

Horizontal div 2 Amount of sheets 1


Vertical div 4 thickness 6mm

Beam Section 18.175


Dist horizontal (mm) (0)	weight structure (kg) (0;0)	18mm plywood (m2) (0;0)	{0;0}
0 691	0 14.233275	0 2.25925	0 2.22145
Dist vertical (mm) (0;0)	weight plywood (kg) (0;0)	5mm plywood (m2) (0;0)	
0 470	0 7.9083	0 2.929	
Softwo... 350e	Plywood 450e	Total weight of one pag... (0;0)	
0	0	0 22.141575	

3D elements Flat elements
 Brep Brep

CONFIGURATION POSSIBILITIES LAYOUT



INITIAL MODEL BOOKS



AUTOMATED CREATION OF CUTTING PLANS



FABRICATION + ASSEMBLY

FINISHED PAVILION